

S-JVF02 Vibe Feeder

Product Manual

S-JVF02 Vibe Feeder

Product manual for installation, set-up and part list





Shenzhen Southern Machinery Sales and Service Co.,Ltd

Room 1806, block 3, Jinyun COFCO, Qianjing 2 Road, Baoan District, Shenzhen City, China


www.smthelp.com

1 Installation






Step 1: put up the handlebar




Step 2: aimed at the alignment hole


Installation



Step 3: aimed at the connector




Step 4: release the handlebar and lock in the feeder bank



As shown in the figure:

- 1,The end of tube should above the support frame, and fixed by locating ring
- 2,Middle part of tube should under the leaf sping and being in the pressure
- 3,The front-end of tube should fixed by locating piece, then cut off the top face of nozzle picking area on tube
- 4.Power on
- 5,Test and get the correct frequency and power setting to run components smooth and speedy

Finished



| Item | Part No | Part Name |
|------|----------------|----------------|
| 1 | S-JVF02-052803 | top-plate |
| 2 | S-JVF02-052802 | leaf spring |
| 3 | S-JVF02-052805 | control unit |
| 4 | S-JVF02-052806 | spring |
| 5 | S-JVF02-052804 | handlebar |
| 6 | S-JVF02-052801 | main body |
| 7 | S-JVF02-052814 | connector |
| 8 | S-JVF02-052811 | support frame |
| 9 | S-JVF02-052813 | locating piece |
| 10 | S-JVF02-052812 | front cover |
| 11 | S-JVF02-052809 | vibrator |
| 12 | S-JVF02-052807 | locating pin |
| 13 | S-JVF02-052810 | guide rail |
| 14 | S-JVF02-052808 | locating ring |

END

Room 1806 ,block 3,Jinyun COFCO,

Qianjing 2 Road ,Baoan District,

Shenzhen City, China

info@smthelp.com www.smthelp.com

