

Pneumatic Stencil Cleaner

Model: SME-750II (2 stencils cleaning machine)





SME-750II Main Features:

- 1. SUS 304 structure, Acid and Alkali corrosion resistance, 15 years lifespan.
- 2. 2 indepent cleaning units, can clean diffirent types of stencils.
- 3. Can clean 2 stencils in one time.
- 4. All liquid pipes are SUS304, no plastic pipes at all.
- 5. Both solvent and cleaning liquid can be used in this machine.
- 6. Driven by compressed air, no use electric power,100% safe by using solvent.
- 7. One button easy operation, clean and dry complete automatically.
- 8. 360° rotate spray rods on both sides, ensure good cleaning quality and stable stencil tension.
- 9. Liquid recycle use, low consumption.
- 10. Inner-lock safety door and safety valve, once open, machine will be stopped immediately.
- 11. 3-level precise liquid filtering system. Liquid used repeatedly.
- 12. Super well-known Pneumatic parts from all over the word manufactures.
- 13. Modular design, easy maintenance.s



SME-750II Flow chart

Push start key to start clean

Air pump start to work

 \prod

Pump solvent from cleaning tank

1um fliter

Upper and lower rods turn 360 and spray solvent to both sides of stencil

Clean stencil

1mmfilternet and 20um filter net

Flow back to cleaning tank

Air blow dry

solvent reuse

www.smthelp.com





SME-750II main spec

S/N	ITEM	SPEC	REMARKS
1	Stencil size	L750*W750*H40mmx2pcs as max	
2	Liquid tank capacity	40Lx2pcs	
3	Wash method	360°double side rotary nozzles liquid spray wash	
4	Dry method	360°double side rotary nozzles spray liquid air blow dry	
5	Clean time	3-5 min (solder paste stencil)	
6	Dry time	3-5 min (solder paste stencil)	
7	Filter system	1mm SUS 304 fliter net; 20um filter bag; 1um cotton filter;	each unit
8	Air supply	0.5Mpa~ 0.7Mpa,400~600L/Min x2sets	
9	Net weight	480Kg	
10	Machine size	L1500*W960*H1700mm	




Cleaning result comparision (Before and after cleaning 100x)





solder paste stencil





red glue cooper stencil



Standard equipped with solvent auto add and discharge function. Solvent add and discharge very convienent.



3 cores big filter cattridge

solvent discharge hose

Solvent add hose



Super wel-known pneumatic parts guarantee a stable, reliable and high quality machine and good clean result.

Air pump

(USA— INGERSORAND) Timer


(German--HENNGSTLER) Indicator (Japan--KOGANEI)

Angle valves, pipes,mechanical parts (China-SUS304)













S-1688 Pneumatic stencil cleaning machine



Mis-print PCB cleaning machine



Electric stencil cleaning machine



Squeegee cleaning machine



Fixture/Pallet cleaning machine



Nozzle cleaning machine





PCBA offline cleaning Machine



PCBA DI water in line cleaning machine



PCBAin line cleaning machine



PCBA in line cleaning machine



DI water machine



Best After-sales service

- 7x24 Worldwide Support
- Free Installation/ Training
- 1 day lead-time (spare parts)
- 1 Month customize solution





Welcome Inquiry

