


- 1,This tray feeder can automatically replace the material in the tray, and realize the exchange of empty trays and trays with materials.
- 2: This feeder can automatically arrange the materials so that the materials are arranged in the feeding track in the specified order.
- 3: The feeding track automatically sends the materials to the front-end reclaiming position to realize the upper computer grabbing the materials.
- 4: This feeder can realize material pin shaping and correcting the material pins, which is convenient for plug-in use.
- 5: This device can complete multiple actions continuously, integrate all functions on one device, it is convenient to operate and maintain.





Sequence of actions:

1: Manually loading tray to elevator, the feeder will automatically complete tray changing, and send it forward to the position where the pickup head with gripper and nozzle.

2: pickup component to forming position or direct to rail station.

3: direct-vibrating or belt to transfer component to SMT pickup position

4: Next cycle.





#### **Specification:**

Pallet capacity: 9 pallets

Max component height: 6.5mm

Positioning: servo drive

**Control system: PLC** 

Pallets size: L350xW300mm Pallet auto changing time: 4s

Pickup cycle time: 1.5s

Pickup head: 2 (gripper or nozzle)
Dimensions: 1200x550x1700mm

Weight: 300Kg

Power requirements: 220VAC Max 2KVA

Air: 0.5 Mpa









### **Best After-sales service**

- 7x24 Worldwide Support
- Free Installation/ Training
- 1 day lead-time (spare parts)
- 1 Month customize solution





### **Welcome Inquiry**

Please visit www.smthelp.com

Find us more https://www.facebook.com/autoinsertion

Know more our team https://cn.linkedin.com/in/smtsupplier

Welcome to our factory in Shenzhen China

See more machine working video, please Youtube Auto Insertion

Google Auto+insertion, to get more information

Looking forward to your email info@smthelp.com