

ESD Safe Flex Arm and Nozzle

The arm and nozzle can be installed in the air cleaning machine to absorb the smog from PCB soldering.



ESD Safe Flex Arm

The arm and nozzle can be installed in the air cleaning machine to absorb the smog from PCB soldering.

75mm (3") ESD Safe Flex Arm



75mm (3") ESD Safe Flex Arm, 4'

ESD Rating: Surface Resistivity: 1.00E3 Ohm

Volume Resistivity: <math><6.00E2\text{ Ohm-cm}</math> Length: 915mm (36")

Diameter: 75mm (3")

Length: 4'

Mounting: Directly onto Fume Extractor or uses optional Bench Mounting Bracket



ESD Safe Flex Arm and Nozzle

The arm and nozzle can be installed in the air cleaning machine to absorb the smog from PCB soldering.



We can also offer the air cleaning machine.

Best After-sales service

- **7x24 Worldwide Support**
- **Free Installation/ Training**
- **1 day lead-time (spare parts)**
- **1 Month customize solution**



WELCOME INQUIRY

Please visit

www.smthelp.com

Find us more

<https://www.facebook.com/autoinsertion>

Know more our team

<https://cn.linkedin.com/in/smtsupplier>

Welcome to our factory in Shenzhen China

See more machine working video, please Youtube

Auto Insertion

Google

Auto+insertion, to get more information

Looking forward to your email

yis@smthelp.com