

### Description:

- Name: Flux Nozzle
- Model: ST-6
- Material: Stainless Steel
- Unit Price: **\$25**


### Feature:

- Drip proof: When turn off the air, the spray hole shut at the same time to prevent dripping.
- Multi-function: Adjustable spray range and shape, siphonable liquid.
- Designed to be lightweight, and effectively saving flux.
- Low cost to improve PCB soldering quality.



## Technology Specification

Model	ST-6-05P	ST-6-10P	ST-6-13P	ST-6-20P
Nozzle Aperture	0.5mm	1.0mm	1.3mm	2mm
Air Pressure	0.15-0.4Mpa			
Air Consumption	80L/Min	100L/Min	120L/Min	160L/Min
Liquid Consumption	0-60ML/Min	0-250ML/Min	0-350ML/Min	0-400ML/Min
Spray Range (Max Width)	200mm	250mm	350mm	400mm
Spray angle	25°-65°			
Spray Shape	Fan-shape/Circle			
Net Weight	About 300g			



## Spare part for ST-6



**Needle + Nozzle \$10 per set**

Aperture with 0.5mm/1mm/1.3mm/2mm



**Spray effect**

# Best After-sales service

- **7x24 Worldwide Support**
- **Free Installation/ Training**
- **1 day lead-time (spare parts)**
- **1 Month customize solution**



# WELCOME INQUIRY

Please visit

[www.smthelp.com](http://www.smthelp.com)

Find us more

<https://www.facebook.com/autoinsertion>

Know more our team

<https://cn.linkedin.com/in/smtsupplier>

Welcome to our factory in Shenzhen China

See more machine working video, please Youtube

Auto Insertion

Google

Auto+insertion, to get more information

Looking forward to your email

[info@smthelp.com](mailto:info@smthelp.com)