

ESD Loader & unloader Magazine Rack

1. It can be adapted to worldwide standard SMT production.
2. Easy and convenient to adjust Magazine Racks width based on your PCB size. 2 type of adjustment: Screw OR Buckle
3. High temperature resistance, the products can be used in oven. PCB board instantaneous temperature can withstand 100°C/120°C/150°C; Collection rack as a whole can withstand 80°C/100°C/120°C
4. ESD Index: $10^6 - 10^9 \Omega$
5. All types of size meet your different requirements. Also it can be **customized for special demand**, such as **Mag LxWxH= 460mm x 400mm x 365mm**



ESD Loader & unloader Magazine Rack

Model :S6603P
Size:355*320*563mm
Feature:Anti-static
Weight Capacity:100KGS
PCB Capacity:50PCS
base material:metal
Application:Industrial
weight: About 4.0 kg
Top & Bottom board:plastic
side board structure:Metal
Material:Metal, Conductive Plastic & metal



Adjustment: By Buckle

Model :S6603M
Size:355*320*563mm
Feature:Anti-static
Weight Capacity:100KGS
PCB Capacity:50PCS
base material:metal
Application:Industrial
weight: About 8.0 kg
Top & Bottom board:Stainless Steel
side board structure:Metal
Material:Metal, Conductive Plastic & metal



Some of standard magazine racks with regular size:

ESD Loader & unloader Magazine Rack

Adjustment: By Screw




Model:S6703P
Size:355*320*563mm
Feature:Anti-static
Weight Capacity:100KGS
PCB Capacity:50PCS
base material:metal
Application:Industrial
weight: About 4.0 kg
Top & Bottom board:plastic
side board structure:Metal
Material:Metal, Conductive Plastic & metal

Some of standard magazine racks with regular size:





Model:S6703M
Size:355*320*563mm
Feature:Anti-static
Weight Capacity:100KGS
PCB Capacity:50PCS
base material:metal
Application:Industrial
weight: About 8.0 kg
Top & Bottom board:Stainless Steel
side board structure:Metal
Material:Metal, Conductive Plastic & metal

ESD Magazine Rack in detail



ESD Magazine Rack in detail



We outsource raw materials based on sound standard, like BV/SGS.

Universal size for worldwide standard

Width adjustment of high precision, suitable for PCB of different size.




ESD test

Other ESD magazine racks

All sizes of company products (for your choice)


Name	Size	PCB size	Storage quantity	Note
ESD Load and Uload Magazine	355*320*563mm	350* (50*250)	50	Screw/buckle Adjust
	355*315*563mm	350* (80-250)	50	Screw Adjust
	355*320*563mm	350* (50*250)	50	buckle Adjust
	460*400*563mm	460* (50-330)	50	Screw/buckle Adjust
	535*460*570mm	535* (50-390)	50	buckle Adjust
	535*530*570mm	535* (50-460)	50	buckle Adjust
	355*320*263mm	350* (50*250)	20	Screw/buckle Adjust
	335*320*363mm	350* (50*250)	30	Screw/buckle Adjust
Aluminum alloy Magazine	335*320*263mm	350* (50*250)	50	Screw/buckle Adjust
	460*400*563mm	460* (50-330)	50	Screw/buckle Adjust
	535*460*570mm	535* (50-390)	50	Screw/buckle Adjust
	535*530*570mm	535* (50-390)	50	Screw/buckle Adjust

Welcome To Visit Our Manufacturing Workshop




Other Spare parts

SMT Custom Feeder




Radial and Axial Feeders

Vibration feeder



Tube feeder



Solder feeder



Label Feeder



Shenzhen Southern Machinery Sales And Service Co., Ltd

1. One-stop Shopping, Providing Quality Smt Peripheral Equipment,
2. Experienced Engineers Provide After-sales Installation & Training Services.
3. Customized Solutions.
4. All Equipment Has Ce Certification, UI Certification.RoHS Certification
5. Provide Sea Freight, Customs Clearance Delivery Service. Buying Ai Smt Accessories Free Shipping
- 6.Know more: yis@smthelp.com

OUR CLIENTS

