

Shenzhen Southern Machinery Sales and Service Co., Ltd

Add:Room 1806 Block 3 Jinyun COFCO, Qianjin 2nd Road , Xixiang, Baoan District, Shenzhen ,China


S-1200-SV Pick&Place machine

**Full automatic
8 heads
Speed : 35000 CPH**




Specification


Dimension :2000 (L) ×1150 (W) ×1400 (H) mm
PCB length : Max. 1200 mm
PCB width :Max.325mm
Accuracy : 0.1mm
Movement accuracy : 0.02mm
Speed : 35000 CPH
Power supply: AC220V , 50HZ
Power consumption : 2.0KW
Air pressure:0.55MPA
Positing: Visual identification mark
Weight :Approx.1250KG




Machine details




Eight groups of Nozzle heads can work at the same time, accurate drain height in high speed at the same time to ensure that the device is not damaged by pressure.



Automatic on-line production, without artificial secondary manual for PCB, so as to achieve the effect of saving time and save worker.






Material stand front end equipped with eight groups of high-definition cameras, for every grain components and mount it at the same time, guarantee accuracy and at the same time also ensures the speed .



X, Y axis and platform operation adopt import grinding ball screw with imported precision guide rail, machine running higher stability and longer service life.

The application case



Welcome inquiry

- 1, Please visit : www.smthelp.com
- 2, Find us more: <https://www.facebook.com/autoinsertion>
- 3, Know more our team: <https://cn.linkedin.com/in/smtsupplier>
- 4, Welcome to our factory in Shenzhen China
- 5, Google: Auto+Insertion
- 6, Looking forward to your email: chan@smthelp.com