

SMT JUKI Nozzle for Mounter



The adsonrption rate can reach 99.99%

Nozzle tip will not turn worse easily
abrasion resistance
no static electricity



Service life of more than 24 months

Applicable fields

Applicable to resistance, capacitance, diode, SOT, QFN, BGA, etc



diode




diode











IC integration



capacitanc



SMT JUKI Nozzle for Mounter

NO.	500	501	502
Outer diameter	1.0*0.5mm	0.7*0.4mm	Φ0.7mm
Inner diameter	2*0.4mm	Φ0.25mm	Φ0.4mm
Appearance			
NO.	503	504	505
Outer diameter	Φ1.0mm	Φ1.5mm	Φ3.5mm
Inner diameter	Φ0.6mm	Φ1.0mm	Φ1.7mm
Appearance			
NO.	506	507	508
Outer diameter	Φ5.0mm	Φ8.5mm	Φ9.5mm
Inner diameter	Φ3.2mm	Φ5.0mm	Φ8.0mm
Appearance			



SMT JUKI RES-1 Serial Nozzle

7501



7502



7503



7504



7505



7506



7507



7508



Special Customize Samples





Shenzhen Southern Machinery Sales And Service Co., Ltd

1. One-stop Shopping, Providing Quality Smt Peripheral Equipment,
2. Experienced Engineers Provide After-sales Installation & Training Services.
3. Customized Solutions.
4. All Equipment Has Ce Certification, UI Certification.RoHS Certification
5. Provide Sea Freight, Customs Clearance Delivery Service. Buying AI SMT Accessories Free Shipping
- 6、Email: lucy@smthelp.com
- 7、WhatsApp/wechat:+8618379197060

OUR CLIENTS



